UNITED STATES DEPARTMENT OF COMMERCE • John T. Connor, *Secretary*
NATIONAL BUREAU OF STANDARDS • A. V. Astin *Director*

Engineering and Instrumentation

Section C

JOURNAL OF RESEARCH

of the

NATIONAL BUREAU OF STANDARDS

Volume 69C—January to December 1965

Papers 69C1–178 to 69C4–213

Corrections to be noted in Volume 69 of the JOURNAL OF RESEARCH of the National Bureau of Standards—C. Engineering and Instrumentation

Page	Column	Line	Now reads in part	Should read
4	1	Table 2, col. 1.	Octoil S^b	Octoil S
19	1	Footnote 1	Northrup	Northrop
30	2	17	elastic limits. The	elastic limit. The
31	2	17 from bottom.	is $9X10^{-3}$ and $3X10^{-3}$ mm Hg,	is $3X10^{-3}$ and $9X10^{-3}$ mm Hg,
		16 from bottom.	This resolution	This capacitance resolution
33	2	12	to 240 atm	to 250 atm
42	2	38	rate differs from	rate ratio differs from
46	1	29	to be ± 0.03 percent	to be ± 0.30 percent
59	1	Fig. 9	PHASE CHANGE (INCHES)	PHASE CHANGE (DEGREES)
98 and 99			Parts (a) and (b) of Figures 2 and 3 should be interchanged.	
122	Table 1.	Col. 5, heading.	$=\left(\frac{\Delta C_2}{\Delta C_2}-1\right)100$	$=\left(\frac{\Delta C_A}{\Delta C_B}-1\right)100$
141	1	21	factor $(r_2^2/\sin\beta)$,	factor $(r_2^2/\sin\beta)$,
199	Abstract	3	with axial or oblique	with axial central or annular
202		15	$\bar{f}(x_0+u\omega,\ y_0)=\bar{f}(x_0-u\omega,\ y_0)$	$\bar{f}(x_0+n\omega,\ y_0)=\bar{f}(x_0-n\omega,\ y_0)$
		Eq (9)	$+2\sum_{u=1}^{\infty}$ Im	$+2\sum_{n=1}^{\infty}$
		29	(viz: Som, 1963)	(viz: De & Som, 1963)
203		28	$x_2=\frac{1-\rho^2-\pi^2\omega^2}{2n\omega}$	$x_2=\frac{1-\rho^2-n^2\omega^3}{2n\omega}$,
204		11	$\left(\frac{1-\rho_a^2-\pi^2\omega^2}{n\omega p_a}\right)$	$\left(\frac{1-\rho_a^2-n^2\omega^2}{n\omega\rho_a}\right)$
		12	$\left(\frac{1-\rho_a^2+\pi^2\omega^3}{n\omega}\right)\Big]$	$\left(\frac{1-\rho_a^2+n^2\omega^2}{n\omega}\right)\Big]$
255	1	5	fig. 5),	fig. 6),
321	Table 1.	Cols. 5, 6, and 7.	0-hr, 0-hr, 340-hr	Transfer to boxes above as

340-hr	1,000-hr	1,000-hr
0-hr	0-hr	340-hr

CONTENTS OF 68C

Volume 69C—No. 1—January–March 1965

Page

Two picnometers of increased convenience and precision. Arnold Johnson. 1

Construction of a Michelson interferometer for Fourier spectroscopy. Howard N. Rundle. 5

The National Bureau of Standards gas thermometer II. Measurement of capacitance to a grounded surface with a transformer ratio-arm bridge. L. A. Guildner and R. E. Edsinger. 13

An adiabatic calorimeter for the range, 10 to 360 °K. K. F. Sterrett, D. H. Blackburn, A. B. Bestul, S. S. Chang, and J. Horman. 19

A rugged null-type pressure transducer of high reproducibility for accurate gas phase PVT measurements. Meyer Waxman and William T. Chen. 27

Detection and damping of thermal-acoustic oscillations in low-temperature measurements. David A. Ditmars and George T. Furukawa. 35

NBS free-air chamber for measurement of 10 to 60 kV x rays. P. J. Lamperti and H. O. Wyckoff. 39

A compensated solenoid giving a uniform magnetic field over a large volume. Chester Snow and Raymond L. Driscoll. 49

Evaluation of a microwave phase measurement system. Doyle A. Ellerbruch. 55

Polarographic analysis of titanium (IV)—EDTA complex: application to paint pigments. Harvey W. Berger and Barry C. Cadoff. 67

Soil resistivity as related to underground corrosion and cathodic protection. W. J. Schwerdtfeger. 71

Volume 69C—No. 2—April–June 1965

Temperatures of thermocouple reference junctions in an ice bath. Frank R. Caldwell. 95

Superimposed birefractory plates. L. H. Adams and R. M. Waxler. 103

A self-calibrating instrument for measuring conductance at radio frequencies. Leslie E. Huntley. 115

Exact inductance equations for rectangular conductors with applications to more complicated geometries. Cletus Hoer and Carl Love. 127

Common volume of two intersecting cylinders. J. H. Hubbell. 139

Steady-state heat conduction in an exposed exterior column of rectangular cross section. B. A. Peavy. 145

Volume 69C—No. 3—July–September 1965

Page

Two-terminal dielectric measurements up to 6 × 10^8 Hz. Martin G. Broadhurst and Anthony J. Bur 165

Improved ten-picofarad fused silica dielectric capacitor. R. D. Cutkosky and L. H. Lee 173

Errors in the series-parallel buildup of four-terminal resistors. Chester H. Page 181

Centerable rotator for measuring properties of crystals. Charles P. Saylor and Herbert B. Lowey 191

Equipment for single-crystal growth from the melt suitable for substances with a low melting point. Avery T. Horton and Augustus R. Glasgow 195

Phase and amplitude contrast microscopy in partially coherent light. M. De and P. K. Mondal 199

Exposure time relations for Kossel microdiffraction photographs. H. Yakowitz and D. L. Vieth 213

Cartesian diver as a density comparator. Horace A. Bowman and Randall M. Schoonover 217

Cryogenic behavior of selected magnetic materials. J. J. Gniewek and E. Ploge 225

Volume 69C—No. 4—October–December 1965

Some applications of the wave front shearing interferometer. James B. Saunders 245

Precision method for evaluating primary aberrations of lenses with a Twyman interferometer. James B. Saunders 251

Comparators for voltage transformer calibrations at NBS. Wilbur C. Sze 257

Voltage dependence of precision air capacitors. J. Q. Shields 265

Single crystal x-ray diffraction at high pressures. C. Weir, S. Block, and G. Piermarini 275

The Sondheimer-Wilson-Kohler formula in platinum resistance thermometry. R. J. Corruccini 283

Stress analysis of tape-wound magnet coils. Jesse Hord 287

Centerline correction for precision roughness specimens. J. L. Chamberlin 303

Electric currents and potentials resulting from the flow of charged liquid hydrocarbons through short pipes. M. R. Shafer, D. W. Baker, and K. R. Benson 307

A transistor screening procedure using leakage current measurements. George T. Conrad and Donald C. Shook 319

JOURNAL OF RESEARCH of the National Bureau of Standards—C. Engineering and Instrumentation
Vol. 69C, No. 4, October–December 1965

INDEX TO VOLUME 69C

January to December 1965

A

Page

Adams, L. H., R. H. Waxler, Superimposed birefractory plates ... 103
Adiabatic calorimeter for the range 10 to 360 °K ... 19
Air capacitors, precision, voltage dependence ... 265

B

Baker, D. W., M. R. Shafer, K. R. Benson, Electric currents and potentials resulting from the flow of charged liquid hydrocarbons through short pipes ... 307
Benson, K. R., M. R. Shafer, D. W. Baker, Electric currents and potentials resulting from the flow of charged liquid hydrocarbons through short pipes ... 307
Berger, H. W., B. C. Cadoff, Polarographic analysis of titanium (IV)—EDTA complex: application to paint pigments ... 67
Bestul, A. B., K. F. Sterrett, D. H. Blackburn, S. S. Chang, J. Horman, An adiabatic calorimeter for the range 10 to 360 °K ... 19
Birefractory plates, superimposed ... 103
Blackburn, D. H., K. F. Sterrett, A. B. Bestul, S. S. Chang, J. Horman, An adiabatic calorimeter for the range 10 to 360 °K ... 19
Block, S., C. Weir, G. Piermarini, Single crystal x-ray diffraction at high pressures ... 275
Bowman, H. A., R. M. Schoonover, Cartesian diver as a density comparator ... 217
Broadhurst, M. G., A. J. Bur, Two-terminal dielectric measurements up to 6×10^8 Hz ... 165
Bur, A. J., M. G. Broadhurst, Two-terminal dielectric measurements up to 6×10^8 Hz ... 165

C

Cadoff, B. C., H. W. Berger, Polarographic analysis of titanium (IV)—EDTA complex: application to paint pigments ... 67
Caldwell, F. R., Temperatures of thermocouple reference junctions in an ice bath ... 95
Calorimeter, adiabatic, for the range 10 to 360 °K ... 19
Capacitor, improved ten-picofarad fused silica dielectric ... 173
Capacitors, precision air, voltage dependence ... 265
Cartesian diver as a density comparator ... 217
Cathodic protection and underground corrosion, soil resistivity as related ... 71
Centerable rotator for measuring properties of crystals ... 191
Centerline correction for precision roughness specimens ... 303
Chamberlin, J. L., Centerline correction for precision roughness specimens ... 303
Chang, S. S., K. F. Sterrett, D. H. Blackburn, A. B. Bestul, J. Horman, An adiabatic calorimeter for the range 10 to 360 °K ... 19
Chen, W. T., M. Waxman, A rugged null-type pressure transducer of high reproducibility for accurate gas phase PVT measurement ... 27
Comparator, density, Cartesian diver ... 217
Comparators for voltage transformer calibration at NBS ... 257

Compensated solenoid giving a uniform magnetic field over a large volume ... 49
Conductors, rectangular, exact inductance equations for, with applications to more complicated geometries ... 127
Conrad, G. T., D. C. Shook, A transitor screening procedure using leakage current measurements ... 319
Construction of a Michelson interferometer for Fourier spectroscopy ... 5
Corrosion, underground, and cathodic protection, soil resistivity as related ... 71
Corruccini, R. J., The Sondheimer-Wilson-Kohler formula in platinum resistance thermometry ... 283
Cryogenic behavior of selected magnetic materials ... 225
Crystal, single, x-ray diffraction at high pressures ... 275
Crystals, centerable rotator for measuring properties ... 191
Cutkosky, R. D., L. H. Lee, An improved ten-picofarad fused silica dielectric capacitor ... 173
Cylinders, two intersecting, common volume ... 139

D

De, M., P. K. Mondal, Phase and amplitude contrast microscopy in partially coherent light ... 199
Detection and damping of thermal-acoustic oscillations in low-temperature measurements ... 35
Dielectric capacitor, improved ten-picofarad fused silica ... 173
Dielectric measurements, two-terminal, up to 6×10^8 Hz ... 165
Ditmars, D. A., G. T. Furukawa, Detection and damping of thermal-acoustic oscillations in low-temperature measurements ... 35
Driscol, R. L., C. Snow, A compensated solenoid giving a uniform magnetic field over a large volume ... 49

E

Edsinger, R. E., L. A. Guildner, The National Bureau of Standards gas thermometer II. Measurement of capacitance to a grounded surface with a transformer ratio-arm bridge ... 13
Electric currents and potentials resulting from the flow of charged liquid hydrocarbons through short pipes ... 307
Ellerbruch, D. A., Evaluation of a microwave phase measurement system ... 55
Equipment for single-crystal growth from the melt suitable for substances with a low melting point ... 195
Errors in the series-parallel buildup of four-terminal resistors ... 181
Evaluation of a microwave phase measurement system ... 55
Exact inductance equations for rectangular conductors with applications to more complicated geometries ... 127
Exposure time relations for Kossel microdiffraction photographs ... 213

F

Fourier spectroscopy, construction of a Michelson interferometer ... 5
Furukawa, G. T., D. A. Ditmars, Detection and damping of thermal-acoustic oscillations in low-temperature measurements ... 35

G

Gas phase PVT measurement, rugged null-type pressure transducer ... 27
Glasgow, A. R., A. T. Horton, Equipment for single-crystal growth from the melt suitable for substances with a low melting point ... 195
Gniewek, J. J., E. Ploge, Cryogenic behavior of selected magnetic materials ... 225
Guildner, L. A., R. E. Edsinger, The National Bureau of Standards gas thermometer II. Measurement capacitance to a grounded surface with a transformer ratio-arm bridge ... 13

H

Heat conduction, steady-state, in an exposed exterior column of rectangular cross section ... 145
Hoer, C., C. Love, Exact inductance equations for rectangular conductors with applications to more complicated geometries ... 127
Hord, J., Stress znalysis of tape-wound magnet coils ... 287
Horman, J., K. F. Sterrett, D. H. Blackburn, A. B. Bestul, S. S. Chang, An adiabatic calorimeter for the range 10 to 360 °K ... 19
Horton, A. T., A. R. Glasgow, Equipment for single-crystal growth from the melt suitable for substances with a low melting point ... 195
Hubbell, J. H., Common volume of two intersecting cylinders ... 139
Huntley, L. E., A self-calibrating instrument for measuring conductance at radio frequencies ... 115
Hydrocarbons, charged liquid, electric currents and potentials resulting from the flow through short pipes ... 307

I

Ice bath, temperature of thermocouple reference junctions ... 95
Improved ten-picofarad silica dielectric capacitor ... 173
Inductance equations, exact, for rectangular conductors with applications to more complicated geometries ... 127
Interferometer, wave front shearing, some applications ... 245

J

Johnson, A., Two picnometers of increased convenience and precision ... 1

K

Kossel microdiffraction photographs, exposure time relations ... 213

L

Lamperti, P. J., H. O. Wyckoff, NBS free-air chamber for measurement of 10 to 60 kV x-rays ... 39
Leakage current measurements, a transitor screening procedure ... 319
Lee, L. H., R. D. Cutkosky, An improved ten-picofarad fused silica dielectric capacitor ... 173
Light, partially coherent, phase amplitude contrast microscopy ... 199
Love, C., C. Cletus, Exact inductance equations for rectangular conductors with applications to more complicated geometries ... 127
Lowey, H. B., C. P. Saylor, Centerable rotator for measuring properties of crystals ... 191
Low-temperature measurements, detection and damping of thermal-acoustic oscillations ... 35

M

Magnet coils, tape-wound, stress analysis ... 287
Magnetic materials, selected, cryogenic behavior ... 225
Michelson interferometer, construction of, for Fourier spectroscopy ... 5
Microdiffraction photographs, Kossel exposure time relations ... 213
Microwave phase measurement system, evaluation ... 55
Microscopy, phase and amplitude contrast in partially coherent light ... 199
Mondal, P. K., M. De, Phase and amplitude contrast microscopy in partially coherent light ... 199

N

NBS free-air chamber for measurement of 10 to 60 kV x-rays ... 39
Null-type pressure transducer of high reproducibility for accurate gas phase PVT measurement ... 27

P

Page, C. H., Errors in the series-parallel buildup of four-terminal resistors ... 181
Paint pigments, application: Polarographid analysis of titanium (IV)—EDTA complex ... 67

Page

Peatv, B. A., Steady-state heat conduction in an exposed exterior column of rectangular cross section ... 145
Phase and amplitude contrast microscopy in partially coherent light ... 199
Picnometers, two, of increased convenience and precision ... 1
Piermarini, G., C. Weir, S. Block, Single crystal x-ray diffraction at high pressures ... 275
Plates, birefractory, superimposed ... 103
Platinum resistance thermometry, the Sondheimer-Wilson-Kohler formula ... 283
Polarographic analysis of titanium (IV)—EDTA complex: application to paint pigments ... 67
Ploge, E. J., J. Gniewek, cryogenic behavior of selected magnetic materials ... 225
Precision air capacitors, voltage dependence ... 265
Precision method for evaluating primary aberrations of lenses with a Twyman interferometer ... 251

R

Radio frequencies, a self-calibrating instrument for measuring conductance ... 115
Resistors, four-terminal, errors in the series-parallel buildup ... 181
Rotator, centerable, for measuring properties of crystals ... 191
Rugged null-type pressure transducer of high reproducibility for accurate gas phase PVT measurement ... 27
Rundle, H. N., Construction of a Michelson interferometer for Fourier spectroscopy ... 5

S

Saunders, J. B., Precision method for evaluating primary aberrations of lenses with a Twyman interferometer ... 251
_____, Some applications of the wave front shearing interferometer ... 245
Saylor, C. P., H. B. Lowey, Centerable rotator for measuring properties of crystals ... 191
Schoonover, R. M., H. A. Bowman, Cartesian diver as a density comparator ... 217
Schwerdtfeger, W. J., Soil resistivity as related to underground corrosion and cathodic protection ... 71
Screening procedure, transitor, using leakage current measurements ... 319
Self-calibrating instrument for measuring conductance at radio frequencies ... 115
Shafer, M. R., D. W. Baker, K. R. Benson, Electric currents and potentials resulting from the flow of charged liquid hydrocarbons through short pipes ... 307
Shields, J. Q., Voltage dependence of precision air capacitors ... 265
Shook, D. C., G. T. Conrad, A transitor screening procedure using leakage current measurements ... 319
Single-crystal growth from the melt suitable for substances with low melting point ... 195
Single crystal x-ray diffraction at high pressures ... 275
Snow, C. R., L. Driscoll, A compensated solenoid giving a uniform megnetic field over a large volume ... 49
Soil resistivity as related to underground corrosion and cathodic protection ... 71
Solenoid, compensated, giving a uniform magnetic field over a large volume ... 49
Some applications of the wave front shearing interferometer ... 245
Sondheimer-Wilson-Kohler formula in platinum resistance thermometry ... 283
Steady-state heat conduction in an exposed exterior column of rectangular cross section ... 145
Sterrett, K. F., D. H. Blackburn, A. B. Bestul, S. S. Chang, J. Horman, An adiabatic calorimeter for the range 10 to 360 °K ... 19
Stress analysis of tape-wound magnet coils ... 287
Superimposed birefractory plates ... 103
Sze, W. C., Comparators for voltage transformer calibrations at NBS ... 257

T

Temperatures of thermocouple reference junctions in an ice bath ... 95
Ten-picofarad fused silica dielectric capacitor, improved ... 173
The National Bureau of Standards gas thermometer II. Measurement of capacitance to a grounded surface with a transformer ratio-arm bridge ... 13
Thermal-acoustic oscillations in low-temperature measurements, detection and damping ... 35
Thermocouples, temperature of, reference junctions in an ice bath ... 95
Thermometry, platinum resistance, the Sondheimer-Wilson-Kohler formula ... 283
Titanium (IV)—EDTA complex, polarographic analysis of, application to paint pigments ... 67
Transducer, rugged null-type pressure, of high reproducibility for accurate gas phase PVT measurement ... 27
Transitor screening procedure using leakage current measurements ... 319
Two picnometers of increased convenience and precision ... 1
Two-terminal dielectric measurements up to 6×10^8 Hz ... 165
Twyman interferometer, precision for evaluating primary aberrations of lenses ... 251

V

Vieth, D. L., H. Yakowitz, Exposure time relations for Kossel microdiffraction photographs ... 213
Voltage dependence of precision air capacitors ... 265
Voltage transformer calibration at NBS, comparators ... 257
Volume, common, to two intersecting cylinders ... 139

W

Wave front shearing interferometer, some applications ... 245
Waxler, R. H., L. H. Adams, Superimposed birefractory plates ... 103
Waxman, M., W. T. Chen, A rugged null-type transducer of high reproducibility for accurate gas phase PVT measurement ... 27
Weir, C., S. Block, G. Piermarini, Single crystal x-ray diffraction at high pressures ... 275
Wyckoff, H. O., P. J. Lamperti, NBS free-air chamber for measurement of 10 to 60 kV x-rays ... 39

X

X-ray diffraction, single crystal, at high pressures ... 275
X rays, NBS free-air chamber for measurement of 10 to 60 kV ... 39

Y

Yakowitz, H., D. L. Vieth, Exposure time relations for Kossel microdiffraction photographs ... 213

U.S. GOVERNMENT PRINTING OFFICE: 1965 O—784-657